



KX-TVA50

Voice processing System, up to 6 ports, up to 8 hours voice storage

[See Dealer for Price](#)

Buy this product at a store...

[technical specs](#)

[support & resources](#)

| | | models with this feature |
|---|---|--------------------------|
| Line Capacity (ports) | 2, expandable to 6 | |
| Voice Storage | up to 4 hours, expandable up to 8 hours | |
| Automated Attendant Service | Yes | |
| Call Screening | Yes | |
| Live Call Screening | Yes | |
| Remote Live Call Screening (DPITS only) | Yes | |
| Callback Number Entry | Yes | |
| Caller ID Name Announcement | Yes | |
| Caller ID Personal Greeting | Yes | |

| | |
|----------------------------------|--|
| Caller ID Call Routing | Yes |
| Covering Extension | Yes |
| Custom Service | Yes |
| Direct Mailbox Access | Yes, DPITS and APIT only |
| Email Integration | Yes |
| Enhanced Message Notification | Yes |
| External Message Delivery | Yes |
| Fax Detection | Yes |
| Holiday Service | Yes |
| Intercom Paging | Yes, DPITS and APIT only |
| Interview Service | Yes |
| Voice Mail Service | Yes |
| Dialing Method | DTMF |
| Flash Time | 100/300/600/900 msec (programmable) |
| CPC Detection | None/6.5/150/300/450/600 msec (programmable) |
| Type of Line | Loop start |
| Extension Numbering | 2-5 digits (programmable) |
| Pause Time | 100ms to 9900ms |
| Message Waiting Lamp | Yes |
| Main CPU | 32-bit microprocessor |
| System Recording Time | up to 4 hours (expandable to 8) |
| Number of Mailboxes | Max. 64 boxes |
| Number of Messages | unlimited |
| Personal Greeting Message Length | up to 360 sec. |
| System Message Retention Time | 1-30 Days, or unlimited (programmable) |
| Maximum Message Length | 1-60 min. (programmable) |

| | |
|---|--|
| Telephone Line | Modular connector (RJ-11C) (2 conductor wire) |
| Data Port | USB, LAN or Modem |
| Power Source | AC 120V, 60 Hz |
| Two-Way Record | Yes, DPITS and APIT only |
| Two-Way Transfer | Yes, DPITS and APIT only |
| Automatic Configuration | Yes, DPITS and APIT only |
| Dial by Name | Yes |
| Group Delivery | Yes |
| Message Transfer (with or without comments) | Yes |
| Day/Night Service | Yes |
| Voice Prompts | Yes |
| System Reports | Yes |
| Multilingual Service | Yes |
| Remote Call Forwarding Set ³ | Yes |
| Activity Reports | Mailbox Information, Call Account, Port Usage HDD Usage, Mailbox Usage, Fax Call Call Handling Statistics, Custom Service, Message Status Subscriber Setup, Security Information, Hourly Statistics and Email |
| Greeting, After Hours | Yes |
| Greeting, Busy | Yes |
| Greeting, No Answer | Yes |
| Internal Message Delivery | Yes |
| Mailbox Name | Yes |
| Mailbox Password | Yes |
| Message Delivery Status | Yes |
| Message Reception Mode | Yes |
| Message Erase | Yes |

| | | |
|---------------------------------------|-----|--|
| Message Fast Forward | Yes | |
| Message Pause | Yes | |
| Message Playback | Yes | |
| Message Repeat | Yes | |
| Message Rewind | Yes | |
| Message Save | Yes | |
| Message Scan | Yes | |
| Message Skip | Yes | |
| New Message Notification | Yes | |
| Play Previous Message | Yes | |
| Private Messages | Yes | |
| Reply to Subscriber(s) | Yes | |
| Time and Date Stamp | Yes | |
| All Calls Transferred to Mailbox | Yes | |
| Alternate Extension Transfer Sequence | Yes | |
| Auto Message Move/ Copy | Yes | |
| Broadcast Message | Yes | |
| Call Blocking | Yes | |
| Call Transfer Status | Yes | |
| Class Of Service | Yes | |
| Clock Synchronization with PBX | Yes | |
| Coverage Mode, Busy | Yes | |
| Coverage Mode, No Answer | Yes | |
| Daylight Saving Time Assignment | Yes | |
| Department Dialing | Yes | |

| | | |
|--|-----|--|
| External Message Delivery Status | Yes | |
| Fax Management | Yes | |
| Fax Transfer | Yes | |
| Group Distribution Lists, Personal | Yes | |
| System Groups Mailbox | Yes | |
| Hold Call | Yes | |
| Mailbox, General Delivery | Yes | |
| Mailbox, Guest | Yes | |
| Mailbox, Interview | Yes | |
| Mailbox, Message Manager | Yes | |
| Mailbox, Subscriber | Yes | |
| Mailbox, System Manager | Yes | |
| Message Waiting Notification, Continuous | Yes | |
| Message Waiting Notification, Outdial | Yes | |
| Message Waiting Notification, Pager | Yes | |
| Message Waiting Notification, Scheduled | Yes | |
| Multiple Company Greetings | Yes | |
| Operator Service, Day/ Night | Yes | |
| Recordable System Prompts | Yes | |
| Rotary Telephone Service | Yes | |
| Service Access Commands | Yes | |
| System Clock | Yes | |
| System Prompts After Personal Greeting | Yes | |

| | | |
|---------------------------------------|--|--|
| Unlimited Message Length | Yes | |
| Digital Integration | Yes | |
| In-band Integration | Yes | |
| PC-based Programming | Yes | |
| Quick Set-up | Yes | |
| System Manager Administration | Yes | |
| Utility Commands | Yes | |
| Voice Mail Menu | Yes, with KX-TDA with LCD proprietary telephone only | |
| Remote Change of Company Greeting | Yes | |
| Built-In Modem for Remote Maintenance | Yes, optional | |
| Spanish Prompts | Yes | |
| Dimensions (H x W x D) | 7.87" x 14.57" x 12.21" | |
| Weight | 6.91 lbs | |